

NEW ITEM


FLEXIBLE COUPLING



ODD CORNERS



BROKEN PIPES



TREE ROOTS

A LANDSCAPERS TIME SAVER

- Available in 1/2", 3/4" and 1"
- 18" versatile length
- 100 PSI working pressure
- Outdoor landscape use only
- Constructed from flexible PVC
- NOT to be used in hot water applications
- Designed to be used underground
- Non Potable



800-854-2323 • www.duraplastics.com



DURA PLASTIC PRODUCTS INC

CERTIFICATE OF COMPLIANCE

PVC Flex Hose (PVC-AR)

This certifies that the above referenced materials are manufactured from NSF compliant Flex PVC with a integrally compounded algaeicide and complies in all respects with the material and workmanship requirements of the following specification.

SPECIFICATION

(PVC ALGAE RESISTANT FLEXIBLE HOSE)


The subject non-rigid vinyl-chloride hose is to be extruded form integrally algae-resistant poly-vinyl chloride (PVC) resin conforming to ASTM Designation D2287 with the following characteristics.

Durometer Hardness (A Scale)	- 88 to 94 tested per ASTM Method D2240
Specific Gravity, Nominal	- 1.4 to 1.44 per ASTM Method D792A
Tensile Strength	- 1,800 psi tested per ASTM Method D412
Brittleness Temp.; Max.	-(-15C) tested per ASTM Method D746A


The hose is to be uniformly black in color, homogeneous throught and smooth inside and outside, free from foreign materials, cracks, holes, dents, wrinkles and blisters and has the following dimensions.

SIZE (IN)	INSIDE DIA. (IN)	WALL THICKNESS (IN)	OUTSIDE DIA. (IN)
½" Irrigation Hose	0.500	0.090	0.680
½" IPS	0.560	0.140	0.840
¾" IPS	0.750	0.150	1.050
1" IPS	1.00	0.158	1.315

SIGNED: _____, TITLE: _____ DATE: _____



- DO **NOT** EXCEED 150 PSI
- OUTDOOR LANDSCAPE USE ONLY
- **NOT** TO BE USED IN HOT WATER APPLICATIONS
- DESIGNED TO BE USED UNDERGROUND
- POTABLE
- **NOT** TO BE USED IN CONSTANT PRESSURE APPLICATIONS



File Name :FRC-005

PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS
DRAWING IS THE SOLE PROPERTY OF
DURA PLASTIC PRODUCTS. ANY
REPRODUCTION IN PART OR AS A WHOLE
WITHOUT THE WRITTEN PERMISSION OF
DURA PLASTIC PRODUCTS IS PROHIBITED.

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN INCHES
TOLERANCES:
FRACTIONAL: $\pm 1/32$
ANGULAR: $\pm 1/2^\circ$
TWO PLACE DECIMAL $\pm .010$
THREE PLACE DECIMAL $\pm .005$

DRAWN	JACK VAN GOSSEN	DATE	10/16/15
CHECKED			
ENG APPR.			
MFG APPR.			

 DURA PLASTICS PRODUCTS 533E Third Street Beaumont CA 92223 Phone:(951)845-3161 Fax:(951)845-7644		SIZE	Description:	
		A	FRC-005 1/2" FLEXIBLE REPAIR COUPLING	
SCALE: 1:8		REV :	.03	SHEET 1 OF 1


5

4


3

2

1



- DO **NOT** EXCEED 150 PSI
- OUTDOOR LANDSCAPE USE ONLY
- **NOT** TO BE USED IN HOT WATER APPLICATIONS
- DESIGNED TO BE USED UNDERGROUND
- POTABLE
- **NOT** TO BE USED IN CONSTANT PRESSURE APPLICATIONS



File Name :FRC-007		NAME		DATE
PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF DURA PLASTIC PRODUCTS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF DURA PLASTIC PRODUCTS IS PROHIBITED.		DRAWN		JACK VAN GOSSEN 10/16/15
		CHECKED		
		ENG APPR.		
		MFG APPR.		
UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN INCHES TOLERANCES: FRACTIONAL: $\pm 1/32$ ANGULAR: $\pm 1/2^\circ$ TWO PLACE DECIMAL $\pm .010$ THREE PLACE DECIMAL $\pm .005$		DURA PLASTICS PRODUCTS 533E Third Street Beaumont CA 92223 Phone:(951)845-3161 Fax:(951)845-7644		
		SIZE	Description:	
		A	FRC-007 3/4" FLEXIBLE REPAIR COUPLING	
		SCALE: 1:8	REV : .03	SHEET 1 OF 1


5

4


3

2

1



- DO **NOT** EXCEED 150 PSI
- OUTDOOR LANDSCAPE USE ONLY
- **NOT** TO BE USED IN HOT WATER APPLICATIONS
- DESIGNED TO BE USED UNDERGROUND
- POTABLE
- **NOT** TO BE USED IN CONSTANT PRESSURE APPLICATIONS



File Name :FRC-010		DURA		DURA PLASTICS PRODUCTS	
PROPRIETARY AND CONFIDENTIAL		533E Third Street Beaumont CA 92223		Phone:(951)845-3161 Fax:(951)845-7644	
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF DURA PLASTIC PRODUCTS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF DURA PLASTIC PRODUCTS IS PROHIBITED.		UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN INCHES TOLERANCES: FRACTIONAL: $\pm 1/32$ ANGULAR: $\pm 1/2^\circ$ TWO PLACE DECIMAL $\pm .010$ THREE PLACE DECIMAL $\pm .005$		DRAWN: JACK VAN GOSSEN 10/16/15	
		CHECKED:		SIZE: A	
		ENG APPR.:		Description: FRC-010 1" FLEXIBLE REPAIR COUPLING	
		MFG APPR.:		SCALE: 1:8 REV: .03 SHEET 1 OF 1	

5

4

3

2

1